

NDC 0781-3416-94

Voriconazole for Injection

200 mg/vial

Rx only

Sterile Single Use Vial
For I.V. Infusion Only

 SANDOZ

Store at 20°-25°C (68°-77°F) [See USP Controlled Room Temperature]. Reconstitution and Dilution: Reconstitute with 19 mL of Water for Injection to give a clear solution containing 10 mg/mL voriconazole (extractable volume = 20 mL). **Must be further diluted before use.** For appropriate diluents and storage recommendations, refer to prescribing information. Discard unused portion.

FOR INTRAVENOUS ADMINISTRATION

With reconstitution each mL contains 10 mg voriconazole and 160 mg sulfobutyl ether β-cyclodextrin sodium (SBECD).


Finished drug product manufactured by:
Lek Pharmaceuticals d.d., SI-1526, Ljubljana, Slovenia
for Sandoz Inc., Princeton, NJ 08540

Product of India

Rev. 04/2015



Marketed drug products containing SBECD



Captisol® → VFEND® (Pfizer)

Dexolve® → Sandoz generic

antifungal

intravenous


200 mg voriconazole / vial

3200 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 2.6$



Marketed drug products containing SBECD



KYPROLIS®

anticancer (Multiple Myeloma)


intravenous

60 mg carfilzomib / vial

3000 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 16.6$

Marketed drug products containing SBECD



NEXTERONE®

antiarrhythmic

infusion


150 / 360 mg amiodarone.HCl / inf. bag

1500 / 3600 mg SBECD / inf. Bag

$$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 3$$



Marketed drug products containing SBECD



GEODON® IM

antipsychotic (Anti-schizophrenic)

intramuscular


20 mg ziprasidone (mesylate) / vial

294 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 2.8$



Marketed drug products containing SBECD



Cerenia™


Canine and feline Anti-Nausea
injection

200 mg Maropitant (citrate) / vial

1260 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 1.4$

Marketed drug products containing SBECD



ABILIFY® IM

antipsychotic (Anti-schizophrenic)

intramuscular


9.75 mg aripiprazole / vial

195 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 4.1$



Marketed drug products containing SBECD



NOXAFIL®

antifungal

intravenous

300 mg posaconazole / vial

6680 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 7.2$




Marketed drug products containing SBECD



CarnexivTM
(carbamazepine) injection

Continuity counts.



CARNEXIV[®]

antiepilepsy

intravenous


200 mg carbamazepine / vial

5000 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 2.7$



Marketed drug products containing SBECD



EVOMELA®

conditioning treatment prior to hematopoietic progenitor (stem) cell transplantation

intravenous

50 mg melphalan / vial

2700 mg SBECD / vial

$n_{\text{Drug}} : n_{\text{SBECD}} = 1 : 7.6$